




1 PROPANE FILLING STATION SCREENING
CT6 SCALE: 1/8" = 1'-0"




2 PLANTER SECTION
CT6 SCALE: 3/8" = 1'-0"




3 GARDEN CENTER PLANTER SECTION
CT6 SCALE: 1/4" = 1'-0"




4 WROUGHT IRON FENCE PLANTER SECTION
CT6 SCALE: 1/4" = 1'-0"




5 LANDSCAPE ISLAND
CT6 SCALE: 1/8" = 1'-0"



6 TREE PLANTING AND STAKING
CT6 SCALE: NOT TO SCALE



7 PALLET RACK/SCREENING FENCE
CT6 SCALE: 1/4" = 1'-0"



8 PALLET RACK/SCREENING FENCE
CT6 SCALE: NOT TO SCALE

LANDSCAPING NOTES:

1. PLANTING ARRANGEMENT AND QUANTITIES APPROVED BY MENARD, INC. PRIOR TO INSTALLATION.
2. ALL TREES AND PLANTS TO BE APPROVED BY MENARD, INC. PRIOR TO INSTALLATION.
3. DECIDUOUS SHADE TREES TO BE OF A MIN. CALIPER MEASURED AT A POINT 6" ABOVE GROUND LEVEL. SEE ABOVE FOR CALIPER SIZES REQUIRED.
4. ALL PLANTS SHALL BE INSTALLED WITHIN MENARDS PROPERTY LINES.
5. CONTRACTOR IS RESPONSIBLE TO SUPPLY WATER NECESSARY TO PROMOTE AND MAINTAIN HEALTHY PLANTINGS.
6. THE SURFACE OF THE TOPSOIL SHALL NOT CONTAIN ANY CLODS, LUMPS, ROCKS, DEBRIS, ETC. LARGER THAN 1/2" DIAMETER.
7. WESTERN WHITE WOOD MULCH AND LANDSCAPE FABRIC.
8. CONTRACTOR IS RESPONSIBLE FOR ALL MOWING, FERTILIZING, AND MAINTENANCE OF LANDSCAPING FOR A PERIOD OF NOT LESS THAN ONE YEAR FROM THE PROJECT COMPLETION.

IRRIGATION NOTES:

1. SYSTEM IS A DESIGN/BUILD SYSTEM BY THE CONTRACTOR.
2. SUBMIT SHOP DRAWINGS AND CUT SHEETS TO MENARD, INC. FOR APPROVAL PRIOR TO ANY INSTALLATION. INCLUDE AS-BUILT DRAWINGS AFTER INSTALLATION.
3. ALL MATERIALS SUPPLIED AND INSTALLED BY CONTRACTOR.
4. SYSTEM TO PROVIDE 100% COVERAGE OF ALL LANDSCAPED AREAS.
5. IRRIGATION SYSTEM TO BE MANUFACTURED BY ORBIT OR APPROVED EQUAL.
6. CONTROL PANEL/TIME CLOCK WITH LOCKABLE COVER TO BE INSTALLED INSIDE SPRINKLER ROOM.
7. TWO YEAR MAINTENANCE INCLUDING STARTUP AND WINTERIZATION TO BE INCLUDED.
8. ALL SPRINKLER MAINS AND EQUIPMENT TO BE INSTALLED WITHIN MENARDS PROPERTY LINES.
9. IRRIGATION CONTROL PANEL SHALL BE MOUNTED IN SPRINKLER ROOM.
10. IRRIGATION WATER SOURCE TO COME OUT OF BUILDING FROM SPRINKLER ROOM. (PLUMBER WILL SUPPLY 2" COPPER PIPE WITH SHUT OFF VALVES, WATER METER AND BACK FLOW PREVENTER PER PLUMBING RISER DIAGRAM.)
11. IRRIGATION SOAKER OR DRIP TYPE SYSTEM IN FRONT SIDEWALK PLANTERS AND FRONT TREE LOCATIONS AND ALL ISLANDS WITH PLANTINGS.
12. INSTALL SHUT OFF VALVES IN IRRIGATION SYSTEM AT ALL OUTLOT AND ADJOINING AREAS TO ALLOW SEPARATION OF SYSTEM IN CASE OF DAMAGE DUE TO FUTURE DEVELOPMENT.
13. INSTALL A BLOWOUT IN THE SPRINKLER ROOM FOR WINTERIZATION OF THE IRRIGATION SYSTEM.